RMULATIONS A-ALLABLE

DYFONATE 2G, 5G, 10G 12G, 15G and 20G

DYFONATE 7E

- Granular formulations containing 2, 5, 10, 12, 15 and 20% DYFONATE by weight.

 An emulsifiable concentrate containing 7 lbs. DYFONATE per gallon. Designed for use in water.

- Emulsifiable concentrate containing 8 lbs. DYFONATE per gallon. Designed for use with liquid fertilizers.

 A dry bait formulation containing 4% DYFONATE by weight.

DYFONATE 8EF

ECAUTIONS

DYFONATE is a hazardous organophosphorus cholinesterase inhibitor. Do not get in eyes, on skin or clothing. Do not breath vapors, mists or dusts.

Wear a mask or respirator similar to the type passed by the U. S. Department of Agriculture for parathion or methyl parathion protection.

Wear rubber gloves, protective clothing and goggles.

Wash thoroughly with soap and water immediately after use or contact. Wash clothing with soap and hot water before re-using.

Do not contaminate feed or food. Keep out of fish-bearing waters.

YTOTOXICITY

No phytotoxicity has been observed except with infurrow treatments on cole crops where the seed was in direct contact with DYFONATE.

IL PESTS CONTROLLED BY DYFONATE

falfa weevil larvae (Hypera postica)
llbugs: bluegrass (Sphenophorus parvulus)
maize (Sphenophorus maidis)
rrot rust fly (Psila rosae)
inch bug (Blissus insularis)
rn silk fly (Chaetopsis spp.)
cumber beetle, banded (Diabrotica balteata)
tworms: black cutworms (Agrotis ypsilom)
granulate cutworm (Feltia subterranea)

Approved for Release 2 7 FEB 1979